

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34	RAEBIGER-J-.in. RAEBIGER-JAN-.in. HOLFELD-A-.in. HOLFELD-ANDRE-.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:45
L2	13895	arc! near2 (layer coating film material)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:47
L3	46972	antireflective antireflection anti-reflective anti-reflection anti adj (reflective reflection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:47
L4	57411	L2 L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:47
L5	871881	resist photoresist photo-resist photosensitive photo-sensitive (sensitive near (photo light energy radiation)) photocur\$5 photo-cur\$5 photo near cur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:47
L6	729	L5 near3 trim\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:47
L7	32	L4 with L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:49
L8	31	oarc!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:53
L9	1787	barc!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:53
L10	7	obarc!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:53

L11	15	(L8 L9 L10) with L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:56
L12	75	(L6) with L5 with control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:03
L13	75	(L6) with L5 with control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:04
L14	42	L13 and (L4 L8 L9 L10)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:09
L15	85238	L5 near3 etch\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:09
L16	2089	(L6 L15) with L5 with control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:09
L17	15626559	n k reflectivity (index near2 (reflection refraction)) extinction near coefficient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:09
L18	4022413	property characteristic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:09
L19	112582	L18 near optical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:09
L20	188	L16 same (L4 L8 L9 L10 L17 L19)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:15

L21	15120	overetch\$3 over-etch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:16
L22	229191	trim\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:16
L23	18454	(L21 L22) with control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:16
L24	47	L23 same (L4 L8 L9 L10)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:21
L25	46972	antireflective antireflection anti-reflective anti-reflection anti adj (reflective reflection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:22
L26	15626559	n k reflectivity (index near2 (reflection refraction)) extinction near coefficient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:22
L27	1991302	thickness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:22
L28	32	L25 with L26 with L27 with depend\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:25
L32	8	((2 3 8 9 10) with 5 with etch\$5 with (trim\$5 reduc\$5)).clm.	US-PGPUB	OR	ON	2006/01/04 14:36
L33	1	((2 3 8 9 10) with 5 with etch\$5 with (control\$5)).clm.	US-PGPUB	OR	ON	2006/01/04 14:39
L34	6	((2 3 8 9 10) same 5 same etch\$5 same (control\$5)).clm.	US-PGPUB	OR	ON	2006/01/04 14:46
L35	26	((2 3 8 9 10) same 5 same etch\$5 same (26)).clm.	US-PGPUB	OR	ON	2006/01/04 14:46